

**IN THE UNITED STATES DISTRICT COURT
FOR THE DISTRICT OF MINNESOTA**

OXYGENATOR WATER
TECHNOLOGIES, INC.

Plaintiff,

v.

TENNANT COMPANY

Defendant.

Civil Action No. 0:20-cv-00358 (ECT/HB)

Jury Trial Demanded

CERTIFICATE OF WORD COUNT

I, the undersigned, certify that Microsoft Word Office 365 was used in preparing Oxygenator Water Technologies, Inc.’s (“OWT”) Responsive Claim Construction Memorandum. I further certify that according to Microsoft Word Office 365, the brief contains 7,631 words, including all text, headings, footnotes, and quotations. The brief was prepared using 13-point font.

Dated: July 27, 2021

s/Nathan D. Louwagie

Philip P. Caspers (#0192569)

J. Derek Vandenburg (#0224145)

Todd S. Werner (#033019X)

Aaron W. Pederson (#0386953)

Nathan D. Louwagie (#0397564)

Hannah M. O’Brien (#0400923)

CARLSON, CASPERS, VANDENBURGH &
LINDQUIST, P.A.

225 South Sixth Street, Suite 4200

Minneapolis, MN 55402

Phone: (612) 436-9600

Facsimile: (612) 436-9605

pcaspers@carlsoncaspers.com

dvandenburg@carlsoncaspers.com

twerner@carlsoncaspers.com
apederson@carlsoncaspers.com
nlouwagie@carlsoncaspers.com
hobrien@carlsoncaspers.com

*Attorneys for Plaintiff Oxygenator Water
Technologies, Inc.*